

WebCeph Informe de Análisis Ortodóncico

Nombre: Moreira Bonilla, Roxana Daniela

Género: Female

Edad: 26 años, 6 meses

Fecha de los registros: 2026-06-30

Foto Lateral	Foto Frontal	Foto de Sonrisa
Oclusal superior	PACIENTE : BH2BLOFID ID : Moreira Bonilla, Roxana Daniela NOMBRE : Daniela GENERO : Femenino EDAD : 26 años, 6 meses	Oclusal inferior
Derecha Intraoral	Frontal Intraoral	Izquierda Intraoral



MOREIRA BONILLA ROXANA DANIELA 19-02-2012 14 AÑOS

Ortopantomografía

WebCeph Analysis

SKELETAL


- ① SNA
- ② SNB
- ③ ANB
- ④ Bjork sum
- ⑤ FMA
- ⑥ Gonial angle
- ⑦ APDI
- ⑧ ODI
- ⑨ Combination factor
- ⑩ A to N-Perp(FH)
- ⑪ B to N-Perp(FH)
- ⑫ Pog to N-Perp(FH)
- ⑬ FH to AB
- ⑭ A-B to mandibular plane
- ⑮ Wits appraisal

DENTAL

- ⑯ Overjet
- ⑰ Overbite
- ⑱ U1 to FH
- ⑲ U1 to SN
- ⑳ U1 to UOP
- ㉑ IMPA
- ㉒ L1 to LOP
- ㉓ Interincisal angle
- ㉔ Cant of occlusal plane
- ㉕ U1 to NA(mm)
- ㉖ U1 to NA(deg)
- ㉗ L1 to NB(mm)
- ㉘ L1 to NB(deg)
- ㉙ Upper incisal display

SOFT-TISSUE

- ㉚ Upper lip to E-plane
- ㉛ Lower lip to E-plane
- ㉜ Nasolabial angle
- ㉝ Extraction Index



1 Analysis

	Promedio	S.D.	Resultado	Severidad	Gráfico poligonal	Significado
SKELETAL						
SNA	81.08	3.7	86.2	*		Protruded maxilla
SNB	79.17	3.8	81.3			Normal A-P position of mandible
ANB	2.46	1.8	4.9	*		Skeletal Class II
Bjork sum	397.16	3.6	395.7			Normodivergent Skeletal Pattern
FMA	25	4.0	27.2			Normodivergent facial pattern
Gonial angle	124.31	5.4	126.7			Normal gonial angle
APDI	85.74	4.0	80.3	*		Skeletal Class II
ODI	72.15	5.5	65.9	*		Skeletal Openbite tendency
Combination factor	157.9	6.5	146.2	*		Small combination factor value
A to N-Perp(FH)	0.4	2.3	4.6	*		Protruded maxilla
B to N-Perp(FH)	-3.5	2.0	-0.6	*		Protruded mandible
Pog to N-Perp(FH)	-1.8	2.5	-1.3			Normal A-P position of chin
FH to AB	81	3.0	83.6			Skeletal Class I
A-B to mandibular plane	69.3	2.5	69.2			Normal AB to mand. plane angle
Wits appraisal	-0.33	2.7	0.8			Skeletal Class I
DENTAL						
Overjet	2	2.0	3.8			Normal overjet
Overbite	2	2.0	-0.1	*		Anterior openbite
U1 to FH	113.8	6.4	124.9	*		Proclined upper incisor
U1 to SN	105.28	6.6	116.5	*		Proclined upper incisor
U1 to UOP	55	4.0	49.7	*		Protruded upper incisor
IMPA	90	3.5	102.3	***		Proclined lower incisor
L1 to LOP	66	5.0	56.0	*		Protruded lower incisor
Interincisal angle	128	5.3	105.5	***		Proclined interincisor angle
Cant of occlusal plane	9.3	3.8	5.4	*		Flat occlusal plane angle
U1 to NA(mm)	4	3.0	7.1	*		Protruded upper incisor
U1 to NA(deg)	22	5.0	30.3	*		Proclined upper incisor
L1 to NB(mm)	4	2.0	10.5	***		Protruded lower incisor
L1 to NB(deg)	25	5.0	39.2	**		Proclined lower incisor
Upper incisal display	3	2.0	6.8	*		Large incisal display
SOFT-TISSUE						
Upper lip to E-plane	0	1.8	-2.5	*		Retruded upper lip
Lower lip to E-plane	0	1.8	3.8	**		Protruded lower lip
Nasolabial angle	95	5.0	78.8	***		Protruded lip
Extraction Index	153.8	7.8	140.0	*		Considerar extracción

- Estándar
- Paciente

